

# Lift&Drive Wheel Lifter



Our electric lifter  
makes a wheel change easy.

 **PRONOMIC**

# Wheel lifter,

## Designed to aid in the removal and installation of wheels on cars, SUVs and trucks



With our wheel lifter it's possible for one person to safely and efficiently remove and re-fit wheels up to 175 kg in weight.

The wheel lifter can eliminate the manual handling risk from the workplace.

This lifter will allow you to increase productivity and at the same time improve your working environment.

It is designed to facilitate both simple wheel change and assist during change of brake pads and the like.

### Lift&Drive, IE-wheel lifter for maximum weight of 60kg



The lift column is mounted off-centre to give the operator a larger working area.

Soft lift-column cover to protect the vehicle.

Easy to manoeuvre, one hand can rotate the wheel while you place the lifter in working position.

Lift forks with reels to ensure easy rotation of the wheel into the right position.

Built-in electronics and battery in one unit, including overload protection.





## Lift&Drive, P-model for maximum weight of 175kg

Today it has become even more difficult for an operator at the garage to handle the wheels for new SUVs and trucks.

When handling wheels weighing 30kg you already risk injuring your back, the wheels of SUVs and trucks weighing between 35-100 kg each.



Central brake on rear wheels.



The lifter has four swivel casters for easy handling and positioning.

## Ideal for transporting wheels to and from wheel service equipment

The lifter holds the wheel in place in the work-friendly height while the wheel bolts are removed. Equipped with a small shelf for bolts, etc.

The mast is side mounted to give you space to work "off center", and the top is fitted with a guard to prevent damage to the paintwork.

**Technical specifications for IE-Wheel lifter**

Handling wheels with dimensions	From 135/80 R13 to 295/25 R22
Stroke	1443 mm
Dimensions (LxBxH)	781x714x1940 mm
Maxload	60 kg
Weight of unit	34kg

**Technical specifications for P-Wheel lifter**

Handling wheels with dimensions	From 205/65 R17.5 to 445/65 R22.5
Stroke	1375mm
Dimensions (LxBxH)	985x950x2010mm
Maxload	175kg
Weight of unit	86kg

**You're welcome to contact us****SMEYERS-TU NV/sa**

Tref 61/3

B-1853 Strombeek-Bever

☎ +32 (0)2 461 21 09

[www.pronomic-lift.be](http://www.pronomic-lift.be)

☎ +32 (0)2 461 21 44

[info@pronomic-lift.be](mailto:info@pronomic-lift.be)

PRONOMIC AB

Tel +46 (0)8-544 706 60 • Fax +46 (0)8-544 706 70  
[info@pronomic.se](http://info@pronomic.se) • [www.pronomic.se](http://www.pronomic.se)